

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB (A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-20B	1	1300	310	58	0.76	0.17	0.2-4 220V	31
	2	1380	310	58	0.96	0.2		
	3	1460	308	59	1.13	0.22		
	4	1540	305	60	1.29	0.24		
	5	1620	300	61	1.36	0.26		
DZF-20B	1	1260	307	58	0.25	0.17	0.2-4	31
	2	1360	309	58	0.29	0.2		
	3	1440	305	59	0.35	0.22		
	4	1520	298	59	0.41	0.24		
	5	1600	291	60	0.47	0.26		
DZF-20A	1	750	145	53	0.6	0.1	0.12 220V 4	30
	2	900	151	53	0.7	0.11		
	3	1000	152	54	0.8	0.12		
	4	1150	150	55	0.9	0.14		
	5	1300	148	55	1	0.16		
DZF-20A	1	760	146	53	0.22	0.11	0.12-6	30
	2	900	151	53	0.29	0.14		
	3	1040	152	54	0.38	0.16		
	4	1170	151	54	0.43	0.18		
	5	1300	149	55	0.49	0.21		
DZF-20B	1	950	295	57	0.24	0.17	0.2-4	31
	2	1100	301	58	0.29	0.19		
	3	1250	308	59	0.36	0.21		
	4	1350	309	60	0.42	0.23		
	5	1500	310	60	0.49	0.29		
DZF-20B	1	1250	308	57	0.36	0.2	0.2-4	31
	2	1370	309	58	0.41	0.22		
	3	1460	310	59	0.48	0.25		
	4	1530	305	60	0.51	0.27		
	5	1620	300	61	0.55	0.29		
DZF-20B	1	1750	305	58	0.61	0.23	0.25-4	32
	2	1850	303	58	0.68	0.26		
	3	1950	299	59	0.75	0.29		
	4	2050	296	60	0.81	0.32		
	5	2150	290	61	0.88	0.35		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-20C	1	1900	349	59	0.74	0.29	0.32-4	32
	2	2050	351	59	0.86	0.33		
	3	2200	347	60	0.97	0.37		
	4	2350	339	61	1.06	0.41		
	5	2500	328	62	1.12	0.46		
DZF-30B	1	2000	355	60	0.96	0.25	0.37-4	34
	2	2150	358	61	1.09	0.31		
	3	2300	352	62	1.21	0.39		
	4	2450	349	63	1.32	0.43		
	5	2600	345	63	1.38	0.51		
DZF-20A	1	900	158	53	0.34	0.18	0.18-6	31
	2	1150	169	54	0.45	0.21		
	3	1300	181	55	0.53	0.23		
	4	1500	195	56	0.61	0.25		
	5	1650	199	57	0.69	0.27		
DZF-20B	1	1200	302	57	0.38	0.19	0.18-4	31
	2	1400	300	57	0.47	0.22		
	3	1600	294	58	0.56	0.25		
	4	1800	285	58	0.63	0.28		
	5	2000	271	59	0.71	0.31		
DZF-20A	1	1100	189	55	0.76	0.22	0.25-6	31
	2	1350	195	56	0.84	0.25		
	3	1550	201	57	0.92	0.28		
	4	1800	206	58	1.03	0.31		
	5	2050	208	58	1.12	0.36		
DZF-30B	1	2450	389	63	1.36	0.69	0.8-4	50
	2	2750	382	64	1.48	0.78		
	3	2950	374	65	1.61	0.87		
	4	3050	365	66	1.73	0.95		
	5	3250	351	67	1.82	1.06		
DZF-20C	1	1450	412	61	1.08	0.47	0.55-4	50
	2	1600	418	62	1.18	0.56		
	3	1750	410	63	1.27	0.63		
	4	1900	403	64	1.35	0.71		
	5	2050	396	65	1.42	0.76		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-20B	1	2000	393	62	1.1	0.41	0.55-4	50
	2	2150	386	63	1.19	0.49		
	3	2300	378	64	1.28	0.58		
	4	2450	371	65	1.36	0.66		
	5	2600	365	66	1.45	0.75		
DZF-30B	1	3000	355	62	3.23	1.01	0.7-4 220V	50
	2	3150	354	63	3.56	1.09		
	3	3300	349	64	3.94	1.18		
	4	3450	337	65	4.35	1.29		
	5	3550	316	66	4.71	1.36		
DZF-20A	1	1600	165	57	0.82	0.25	0.32-6	48
	2	1750	165	58	0.91	0.29		
	3	1900	161	59	1.02	0.33		
	4	2050	157	59	1.17	0.39		
	5	2200	153	60	1.32	0.46		
DZF-30C	1	2000	502	63	1.53	0.76	0.8-4	50
	2	2300	508	54	1.76	0.86		
	3	2550	498	65	1.89	0.98		
	4	2800	490	66	2.03	1.09		
	5	3100	481	67	1.18	1.18		
DZF-30B	1	2900	398	64	1.58	0.88	0.8-4	50
	2	3100	389	65	1.76	0.95		
	3	3300	378	66	1.92	1.06		
	4	3550	362	67	2.13	1.17		
	5	3800	351	68	2.34	1.24		
DZF-30A	1	2200	178	55	0.73	0.28	0.37-6	49
	2	2400	189	56	0.89	0.36		
	3	2600	191	57	1.06	0.41		
	4	2800	184	58	1.21	0.46		
	5	3000	171	59	1.38	0.51		
DZF-30B	1	1800	356	60	0.79	0.38	0.45-4	48
	2	2200	332	61	0.93	0.45		
	3	2600	309	62	1.09	0.51		
	4	3000	285	62	1.21	0.58		
	5	3300	261	63	1.39	0.65		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-40C	1	3500	431	66	1.59	0.73	0.8-4	50
	2	3650	436	67	1.75	0.89		
	3	3800	430	68	1.92	1.01		
	4	3950	422	69	2.06	1.17		
	5	4100	415	69	2.21	1.32		
DZF-30B	1	3100	356	64	1.62	0.73	0.8-4	50
	2	3250	361	64	1.79	0.81		
	3	3400	365	65	1.96	0.94		
	4	3550	365	66	2.11	1.08		
	5	3700	363	67	2.27	1.22		
DZF-30A	1	2700	221	60	0.91	0.33	0.42-6	48
	2	2850	225	61	1.05	0.42		
	3	3000	219	61	1.18	0.54		
	4	3150	210	62	1.31	0.64		
	5	3300	195	62	1.45	0.73		
DZF-50D	1	3700	501	62	2.22	1.01	1.1-4	55
	2	4100	508	63	2.43	1.12		
	3	4420	463	64	2.65	1.23		
	4	4700	424	65	2.86	1.39		
	5	4970	356	66	3.03	1.53		
DZF-40C	1	4250	451	65	1.78	1.21	1.0-4	55
	2	4350	449	65	1.91	1.27		
	3	4450	444	66	2.03	1.33		
	4	4550	438	66	2.15	1.39		
	5	4650	430	67	2.3	1.45		
DZF-30D	1	2250	510	63	1.22	0.55	0.55-4	55
	2	2420	515	64	1.36	0.61		
	3	2580	511	65	1.48	0.66		
	4	2740	503	66	1.6	0.73		
	5	2900	490	67	1.71	0.8		
DZF-20C	1	1350	416	60	1.08	0.47	0.45-4	49
	2	1650	421	61	1.18	0.56		
	3	2050	411	62	1.27	0.63		
	4	2450	388	63	1.35	0.71		
	5	2850	363	64	1.42	0.76		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-20A	1	1050	245	56	0.96	0.28	0.32-6	48
	2	1300	248	57	1.08	0.33		
	3	1550	251	58	1.18	0.38		
	4	1800	249	59	1.27	0.43		
	5	2000	246	60	1.35	0.49		
DZF-20A	1	900	210	55	0.64	0.2	0.25-6	48
	2	1250	211	56	0.71	0.25		
	3	1500	208	57	0.87	0.29		
	4	1750	203	58	1.05	0.34		
	5	2000	196	59	1.18	0.39		
DZF-20B	1	1200	346	59	0.93	0.36	0.45-4	48
	2	1550	351	60	1.05	0.43		
	3	1900	367	61	1.16	0.48		
	4	2250	352	62	1.28	0.55		
	5	2600	348	63	1.38	0.62		
DZF-20B	1	1600	335	60	0.85	0.28	0.37-4	48
	2	1800	338	61	0.93	0.32		
	3	2000	334	62	1.04	0.37		
	4	2200	328	63	1.12	0.42		
	5	2350	322	63	1.21	0.46		
DZF-20B	1	1600	332	59	2.47	0.47	0.37-4 220V	49
	2	1800	337	60	2.56	0.51		
	3	2000	336	61	2.65	0.57		
	4	2200	329	62	2.73	0.62		
	5	2350	323	63	2.88	0.67		
DZF-20A	1	2000	202	57	0.92	0.24	0.37-6	49
	2	2250	208	58	1.01	0.32		
	3	2450	212	59	1.13	0.37		
	4	2650	215	60	1.22	0.46		
	5	2900	213	61	1.38	0.53		
DZF-50B	1	4000	425	66	2.66	1.72	1.5-6	61
	2	4300	421	67	2.73	1.83		
	3	4600	416	67	2.84	1.95		
	4	4900	409	67	2.97	2.08		
	5	5200	401	67	3.08	2.21		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-60D	1	5700	575	68	3.38	1.83	1.8-4	65
	2	5900	586	68	3.61	1.96		
	3	6100	607	69	3.85	2.11		
	4	6300	611	70	4.11	2.25		
	5	6500	616	71	4.36	2.58		
DZF-50C	1	4500	555	69	2.54	1.34	1.2-4	60
	2	4750	558	69	2.61	1.42		
	3	5000	559	70	2.7	1.51		
	4	5250	556	70	2.78	1.59		
	5	5500	551	70	2.85	1.67		
DZF-50D	1	4600	607	70	2.63	1.78	1.5-4	61
	2	4850	611	70	2.86	1.88		
	3	5100	616	70	3.14	1.97		
	4	5350	615	71	3.45	2.06		
	5	5600	612	71	3.71	2.14		
DZF-50B	1	3700	412	66	1.82	1.19	1.0-6	61
	2	3900	415	66	1.91	1.25		
	3	4100	413	67	1.98	1.31		
	4	4300	409	67	2.06	1.37		
	5	4500	402	67	2.15	1.44		
DZF-40B	1	2700	396	66	1.6	1.19	0.65-6	61
	2	2900	401	67	1.69	1.25		
	3	3100	408	67	1.78	1.31		
	4	3300	411	67	1.86	1.37		
	5	3500	410	67	1.93	1.44		
DZF-50B	1	4200	493	65	1.95	1.95	1.0-4	60
	2	4400	486	66	2.01	1.25		
	3	4600	478	66	2.08	1.31		
	4	4800	471	67	2.16	1.38		
	5	5000	465	67	2.25	1.45		
DZF-40A	1	3000	296	62	0.83	0.46	0.4-6	59
	2	3200	287	62	0.91	0.5		
	3	3400	276	62	0.98	0.56		
	4	3650	264	63	1.06	0.62		
	5	3900	251	63	1.15	0.68		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-50D	1	4700	622	71	2.96	2.03	1.8-4	65
	2	4900	633	71	3.18	2.17		
	3	5100	640	72	3.41	2.31		
	4	5300	645	72	3.65	2.43		
	5	5500	648	72	3.86	2.55		
DZF-50C	1	4500	511	68	2.26	1.38	1.1-4	61
	2	4650	508	69	2.33	1.42		
	3	4800	503	69	2.45	1.46		
	4	4950	495	69	2.54	1.41		
	5	5100	486	70	2.65	1.56		
DZF-50B	1	4700	448	68	2.96	1.82	1.5-6	75
	2	4900	450	68	3.08	1.93		
	3	5100	449	68	3.24	2.05		
	4	5300	441	68	3.42	2.16		
	5	5500	431	68	3.58	2.26		
DZF-60D	1	5700	603	68	3.44	1.86	1.8-4	75
	2	5950	611	68	3.69	1.98		
	3	6150	616	69	3.92	2.14		
	4	6350	610	70	4.18	2.27		
	5	6550	605	71	4.42	2.61		
DZF-40B	1	3700	415	65	2.17	1.19	1.0-6	73
	2	3950	418	65	2.25	1.25		
	3	4200	414	66	2.36	1.31		
	4	4450	409	66	2.45	1.37		
	5	4700	401	67	2.56	1.44		
DZF-40B	1	2800	338	63	1.53	0.72	0.65-6	73
	2	3200	345	64	1.61	0.8		
	3	3600	348	64	1.7	0.88		
	4	3900	342	64	1.78	0.95		
	5	4300	335	65	1.85	1.01		
DZF-40C	1	2700	532	67	1.76	1.19	1.0-4	72
	2	3100	543	67	1.81	1.25		
	3	3500	551	68	1.87	1.31		
	4	3900	547	68	1.93	1.37		
	5	4300	541	69	1.99	1.44		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-50C	1	3100	545	68	2.01	1.36	1.2-4	73
	2	3500	553	68	2.16	1.45		
	3	3900	555	69	2.29	1.54		
	4	4300	554	69	2.41	1.62		
	5	4700	550	70	2.55	1.73		
DZF-50C	1	4600	549	70	2.58	1.72	1.5-4	74
	2	4900	544	70	2.71	1.8		
	3	5200	537	70	2.82	1.88		
	4	5500	528	70	2.94	1.95		
	5	5800	517	70	3.06	2.03		
DZF-60B	1	4500	432	68	2.18	1.43	1.1-6	77
	2	4900	428	68	2.41	1.52		
	3	5300	422	69	2.63	1.58		
	4	5700	406	69	2.87	1.64		
	5	6100	391	69	3.02	1.71		
DZF-70D	1	5600	607	68	3.53	1.92	1.8-4	77
	2	6000	613	69	3.69	2.11		
	3	6400	608	70	3.89	2.33		
	4	6800	593	71	4.13	2.47		
	5	7200	580	72	4.32	2.74		
DZF-70C	1	5900	539	70	2.99	1.82	1.5-6	98
	2	6200	535	70	3.11	1.93		
	3	6500	530	71	3.24	2.05		
	4	6800	524	71	3.38	2.16		
	5	7100	516	71	3.51	2.26		
DZF-70C	1	5700	652	71	4.64	0.73	2.2-6	98
	2	6200	661	71	4.76	0.81		
	3	6700	667	72	4.87	0.94		
	4	7200	668	72	4.99	1.08		
	5	7700	662	72	5.12	1.22		
DZF-80C	1	6900	632	72	5.16	3.26	3.0-6	103
	2	7300	638	73	5.51	3.41		
	3	7700	644	73	5.86	3.55		
	4	8100	641	73	6.19	3.7		
	5	8500	638	74	6.52	3.84		

DZF 外转子离心式风机箱


型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-70D	1	6400	791	74	4.08	2.71	2.2-4	98
	2	6700	801	75	4.27	2.84		
	3	7000	810	75	4.46	2.96		
	4	7300	800	75	4.66	3.08		
	5	7600	788	75	4.85	3.19		
DZF-90D	1	7500	905	76	5.82	3.69	3.0-4	103
	2	7900	910	76	6.07	3.82		
	3	8300	906	77	6.31	3.96		
	4	8700	898	77	6.55	4.09		
	5	9100	891	77	6.78	4.21		
DZF-120D	1	9200	892	77	7.17	4.21	4.0-4	113
	2	9800	903	78	7.55	4.56		
	3	10400	910	78	7.93	4.92		
	4	11000	902	78	8.31	5.3		
	5	11600	889	78	8.68	5.65		
DZF-120B	1	8000	646	73	5.16	3.26	3.0-4	103
	2	9000	645	74	5.51	3.41		
	3	10000	642	74	5.86	3.55		
	4	11000	640	75	6.19	3.7		
	5	12000	638	75	6.52	3.84		
DZF-120C	1	8500	751	75	6.18	3.69	4.0-4	113
	2	9500	751	75	6.66	4.12		
	3	10500	750	76	7.21	4.57		
	4	11500	745	76	7.74	4.98		
	5	12500	730	76	8.22	5.32		
DZF-150C	1	11000	762	76	10.1	5.98	5.5-6	214
	2	12000	776	77	10.6	6.39		
	3	13000	788	77	11.2	6.81		
	4	14000	801	78	11.7	7.23		
	5	15000	785	78	12.1	7.64		
DZF-160C	1	10500	745	76	9.96	5.54	5.5-6	214
	2	12000	755	76	10.3	6.04		
	3	13500	743	76	10.9	6.55		
	4	15000	728	77	11.5	7.06		
	5	16500	712	77	12	7.56		

DZF 外转子离心式风机箱

型号	工况	风量 m³/h	全压 Pa	噪声 dB(A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF150D	1	13000	1080	80	13.6	7.55	7.5-6	254
	2	13500	1092	80	14.1	8.1		
	3	14000	1100	80	14.7	8.62		
	4	14500	1098	80	15.1	9.15		
	5	15000	1091	81	15.6	9.78		
DZF-160C	1	12000	934	78	13.3	7.42	7.5-6	254
	2	13000	943	79	13.9	8.01		
	3	14000	948	79	14.4	8.57		
	4	15000	951	80	14.9	9.08		
	5	16000	946	80	14.5	9.65		
DZF-200A	1	14000	701	77	13.5	7.48	7.5-6	254
	2	16000	699	77	14.1	8.09		
	3	18000	689	77	14.6	8.6		
	4	20000	673	78	15.1	9.18		
	5	22000	651	78	15.5	9.7		
DZF-100A	1	7000	551	70	5.61	3.26	3.0-6	145
	2	8000	542	70	5.96	3.52		
	3	9000	530	70	6.27	3.77		
	4	10000	518	70	6.58	4.01		
	5	11000	502	71	6.91	4.24		
DZF-130B	1	9000	795	75	7.65	5.04	4.0-6	199
	2	10000	789	76	7.79	5.18		
	3	11000	771	76	7.93	5.31		
	4	12000	751	76	8.08	5.45		
	5	13000	739	77	8.24	5.58		
DZF-200D	1	15000	940	79	13.6	7.88	7.5-6	305
	2	16500	978	80	14.1	8.62		
	3	18000	996	81	14.5	8.97		
	4	19500	1015	81	14.9	9.31		
	5	21000	1001	81	15.2	9.68		
DZF-250C	1	17000	793	78	12.6	8.26	7.5-6	305
	2	19000	806	79	13.4	8.78		
	3	21000	801	80	14.2	9.21		
	4	23000	775	80	14.9	9.65		
	5	25000	748	80	15.6	10.1		

DZF 外转子离心式风机箱

型号	工况	风量 m3/h	全压 Pa	噪声 dB (A)	电流 A	输入功率 KW	电机 kw/极	重量 kg
DZF-250D	1	17000	995	81	14.8	9.18	9.0-6	305
	2	19000	1024	82	16.1	9.83		
	3	21000	1051	82	17.5	10.4		
	4	23000	1069	83	18.9	11.1		
	5	25000	1041	83	19.2	11.8		



具体外形尺寸敬请联系销售人员 18611581633